

(W2)	SOUTH EXT	EXIST'G BRK VENEER / CMU W/ NEW INT 2X4 STL FRMG	4	SEE BRICK IN PLAN (WWW.BIA.ORG) TO VERIFY FIRE RATING - BLDG HAS CONC SLAB FLR NO POCKETS
(W3)	NORTH DEMISING	EXIST'G CMU - PATCH/REPAIR NEW 2X4 STL INT / 2X6 FRMG ABV W/ (2) LAYERS TYPE X GWB BOTH SIDES	2	DESIGN NO. U905 UL DIRECTORY 1998
(W4)	NORTH DEMISING	NEW 2X6 STL INSUL FRMG (2) LAYERS TYPE X GWB BOTH SIDES	2	DESIGN NO. U905 UL DIRECTORY 1998
(W5)	CENTER / EXIST DEMISING	EXIST'G SINGLE WYTHE CMU - PATCH & REPAIR - 2X6 STL INSUL FRMG ABV (2) LAYERS TYPE X GWB BOTH SIDES	2	FRAME WALL ABOVE CMU TO ROOF DECK DESIGN NO. U905 UL DIRECTORY 1998 FOR 2 HR FRAME
(W6)	NEW DEMISING	NEW 2X4 STL INSUL FRMG (2) LAYERS TYPE X GWB BOTH SIDES	2	DESIGN NO. U905 UL DIRECTORY 1998 SEE 4/ A5.1

NOTE: 903 MANCHESTER FULLY SPRINKLERED CERTIFICATION AVAILABLE UPON REQUEST

**HEADER SCHEDULE**

ITEM #	SIZE	QTY	NOTES
H1	W8x24	5	OVER 6'-0" WNDW SPAN
H2	W8x24	4	OVER 12'-6" WNDW SPAN
H3A	C6 CHANNEL	4	UPPER CANOPY BRACE / ABV WNDW SEE DETS #7/A5.3 - 8'-0" LENGTH
H3B	C6 CHANNEL	4	LOWER CANOPY BRACE / ABV WNDW SEE DETS #7/A5.3 - 4'-0" LENGTH

